

## MATERIAL SAFETY DATA SHEET

Date Printed: 10/30/2009

Date Updated: 03/23/2007

Version 1.5

## Section 1 - Product and Company Information

Product Name SEC-BUTYLLITHIUM, 1.4M SOLUTION IN  
CYCLOHEXANE  
Product Number 195596  
Brand ALDRICH  
Company Sigma-Aldrich  
Address 3050 Spruce Street  
SAINT LOUIS MO 63103 US  
Technical Phone: 800-325-5832  
Fax: 800-325-5052  
Emergency Phone: 314-776-6555

## Section 2 - Composition/Information on Ingredient

Substance Name	CAS #		SARA 313
SEC-BUTYLLITHIUM SOLUTION, ~1.3 M IN CYCLOHEXANE	None		Yes
Ingredient Name	CAS #	Percent	SARA 313
CYCLOHEXANE	110-82-7	>= 90 <= 92	Yes
SEC-BUTYLLITHIUM	598-30-1	>= 8 <= 10	No

## Section 3 - Hazards Identification

## EMERGENCY OVERVIEW

Pyrophoric (USA) Highly Flammable (EU). Corrosive. Dangerous for the environment.

Contact with water liberates extremely flammable gases.

Spontaneously flammable in air. Causes burns. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Harmful: may cause lung damage if swallowed.

Vapors may cause drowsiness and dizziness.

Target organ(s): Lungs. Nerves.

## HMIS RATING

HEALTH: 3\*

FLAMMABILITY: 4

REACTIVITY: 4

## NFPA RATING

HEALTH: 3

FLAMMABILITY: 4

REACTIVITY: 4

\*additional chronic hazards present.

For additional information on toxicity, please refer to Section 11.

## Section 4 - First Aid Measures

---

ORAL EXPOSURE

If swallowed, do not induce vomiting; call a physician immediately.

INHALATION EXPOSURE

If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.

DERMAL EXPOSURE

In case of skin contact, flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes. Call a physician.

EYE EXPOSURE

In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.

---

Section 5 - Fire Fighting Measures

---

FLAMMABLE HAZARDS

Flammable Hazards: Yes  
Pyrophoric/Autoignition: Yes

EXPLOSION HAZARDS

Vapor may travel considerable distance to source of ignition and flash back. Container explosion may occur under fire conditions.

CONDITIONS OF FLAMMABILITY

Catches fire if exposed to air.

FLASH POINT

1.4 °F - 17.0 °C Method: closed cup

AUTOIGNITION TEMP

N/A

FLAMMABILITY

N/A

EXTINGUISHING MEDIA

Suitable: Dry chemical powder.  
Unsuitable: Do not use water.

FIREFIGHTING

Protective Equipment: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.  
Specific Hazard(s): Flammable liquid. Emits toxic fumes under fire conditions.

---

Section 6 - Accidental Release Measures

---

PROCEDURE TO BE FOLLOWED IN CASE OF LEAK OR SPILL

Evacuate area. Shut off all sources of ignition. Use nonsparking tools.

PROCEDURE(S) OF PERSONAL PRECAUTION(S)

Wear self-contained breathing apparatus, rubber boots, and heavy rubber gloves.

METHODS FOR CLEANING UP

Cover with dry-lime, sand, or soda ash. Place in covered containers using non-sparking tools and transport outdoors. Ventilate area and wash spill site after material pickup is complete.

---

## Section 7 - Handling and Storage

---

### HANDLING

User Exposure: Do not breathe vapor. Do not get in eyes, on skin, on clothing. Avoid prolonged or repeated exposure.

### STORAGE

Suitable: Keep tightly closed. Handle and store under nitrogen. Keep away from heat, sparks, and open flame.  
Incompatible Materials: Do not allow contact with water  
Store at 2-8°C

### SPECIAL REQUIREMENTS

Air sensitive. Handle and store under inert gas.

---

## Section 8 - Exposure Controls / PPE

---

### ENGINEERING CONTROLS

Safety shower and eye bath. Use nonsparking tools. Use only in a chemical fume hood.

### PERSONAL PROTECTIVE EQUIPMENT

Respiratory: Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator.  
Hand: Compatible chemical-resistant gloves.  
Eye: Chemical safety goggles.  
Other: Faceshield (8-inch minimum).

### GENERAL HYGIENE MEASURES

Wash contaminated clothing before reuse. Discard contaminated shoes. Wash thoroughly after handling.

---

## Section 9 - Physical/Chemical Properties

---

Appearance	Physical State: Liquid	
Property	Value	At Temperature or Pressure
pH	N/A	
BP/BP Range	N/A	
MP/MP Range	N/A	
Freezing Point	N/A	
Vapor Pressure	N/A	
Vapor Density	N/A	
Saturated Vapor Conc.	N/A	
SG/Density	0.769 g/cm <sup>3</sup>	
Bulk Density	N/A	
Odor Threshold	N/A	
Volatile%	N/A	
VOC Content	N/A	
Water Content	N/A	
Solvent Content	N/A	

Evaporation Rate	N/A	
Viscosity	N/A	
Surface Tension	N/A	
Partition Coefficient	N/A	
Decomposition Temp.	N/A	
Flash Point	1.4 °F - 17.0 °C	Method: closed cup
Explosion Limits	N/A	
Flammability	N/A	
Autoignition Temp	N/A	
Refractive Index	N/A	
Optical Rotation	N/A	
Miscellaneous Data	N/A	
Solubility	N/A	

N/A = not available

---

## Section 10 - Stability and Reactivity

---

### STABILITY

Conditions to Avoid: Air. Do not allow water to enter container.  
Materials to Avoid: Strong oxidizing agents, Acids, Water, Alcohols.

### HAZARDOUS DECOMPOSITION PRODUCTS

Hazardous Decomposition Products: Carbon monoxide, Carbon dioxide, Lithium oxides.

### HAZARDOUS POLYMERIZATION

Hazardous Polymerization: Will not occur

---

## Section 11 - Toxicological Information

---

### ROUTE OF EXPOSURE

Skin Contact: Causes burns.

Skin Absorption: May be harmful if absorbed through the skin.

Eye Contact: Causes burns.

Inhalation: Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. May be harmful if inhaled.

Ingestion: May be harmful if swallowed.

### TARGET ORGAN(S) OR SYSTEM(S)

Nerves. Lungs.

### SIGNS AND SYMPTOMS OF EXPOSURE

Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting. Exposure can cause CNS depression, drowsiness, light-headedness, and irritability. Damage to the lungs.

Gastrointestinal disturbances. Lung irritation, chest pain, and edema which may be fatal. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin. Inhalation may result in spasm, inflammation and edema of the larynx and bronchi, chemical pneumonitis, and pulmonary edema.

### CONDITIONS AGGRAVATED BY EXPOSURE

May cause nervous system disturbances.

---

## Section 12 - Ecological Information

---

No data available.

---

## Section 13 - Disposal Considerations

---

### APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARATION

Contact a licensed professional waste disposal service to dispose of this material. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Observe all federal, state, and local environmental regulations.

---

## Section 14 - Transport Information

---

### DOT

Proper Shipping Name: Organometallic substance,  
liquid, pyrophoric, water-reactive  
UN#: 3394  
Class: 4.2  
Packing Group: Packing Group I  
Hazard Label: Spontaneously combustible  
Hazard Label: Dangerous when wet.  
PIH: Not PIH

### IATA

Proper Shipping Name: Organometallic substance,  
liquid, pyrophoric, water-reactive  
IATA UN Number: 3394  
Hazard Class: 4.2  
Packing Group: I  
Not Allowed - Aircraft: FORBIDDEN  
Not Allowed - Aircraft: FORBIDDEN

---

## Section 15 - Regulatory Information

---

### EU ADDITIONAL CLASSIFICATION

Symbol of Danger: F-N-C  
Indication of Danger: Highly Flammable. Dangerous for the environment. Corrosive.  
R: 11-15-17-34-65-67-50/53  
Risk Statements: Highly flammable. Contact with water liberates extremely flammable gases. Spontaneously flammable in air. Causes burns. Harmful: may cause lung damage if swallowed. Vapors may cause drowsiness and dizziness. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
S: 26-36/37/39-43-45-60-61-62  
Safety Statements: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, gloves, and eye/face protection. In case of fire, use dry powder. Never use water. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). This material and its container must be disposed of as hazardous waste. Avoid release to the environment. Refer to special instructions/safety data sheets. If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

### US CLASSIFICATION AND LABEL TEXT

Indication of Danger: Pyrophoric (USA) Highly Flammable (EU). Corrosive. Dangerous for the environment.  
Risk Statements: Contact with water liberates extremely flammable gases. Spontaneously flammable in air. Causes burns. Very toxic to aquatic organisms, may cause long-term adverse

effects in the aquatic environment. Harmful: may cause lung damage if swallowed. Vapors may cause drowsiness and dizziness. Safety Statements: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, gloves, and eye/face protection. In case of fire, use dry powder. Never use water. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). This material and its container must be disposed of as hazardous waste. Avoid release to the environment. Refer to special instructions/safety data sheets. If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label. US Statements: Target organ(s): Lungs. Nerves.

#### UNITED STATES REGULATORY INFORMATION

SARA LISTED: Yes

NOTES: This product is or contains a component that is subject to SARA313 reporting requirements.

#### CANADA REGULATORY INFORMATION

WHMIS Classification: This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all the information required by the CPR.

DSL: Yes

NDSL: No

---

#### Section 16 - Other Information

---

#### DISCLAIMER

For R&D use only. Not for drug, household or other uses.

#### WARRANTY

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2009 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only.